

Searching for **java vector and query and ejb and corba**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#)
[CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: **relevance to query**.

[Correction of a Memory Management Method for Lock-Free Data... - Michael Scott \(1995\) \(Correct\) \(6 citations\)](#)
hypatia.dcs.qmw.ac.uk/data/edu/cs.rochester.edu/systems/95.tr599.Memory_management_for_lock-free_data_structures.ps.gz

[A Meta-theory for Structured Presentations in the COC - Shulman \(1997\) \(Correct\)](#)
 : 61 3.5 **Querying the Presentation Base** :
cse.ogi.edu/pub/tech-reports/1997/97-TH-001.ps.gz

[Optimizing ML with Run-Time Code Generation - Leone, Lee \(1995\) \(Correct\) \(102 citations\)](#)
 first-order subset of ML with integers, reals, **vectors**, and user-defined datatypes. We chose this
foxnet.cs.cmu.edu/~petel/papers/staged/mleone-pidi95.ps

[The Application Of The Supercondensed Tim Node To... - Trenkic... \(Correct\)](#)
 k z are Cartesian components of the propagation **vector** k and v is the wave propagation velocity in
nmle.eee.nott.ac.uk/~vmt/preprints/compel95.ps.gz

[Foreign Event Handlers to Maintain Information Consistency and... - Queloz \(1999\) \(Correct\)](#)
 heavy)3) Security: Some environments like **Java** provide authentication and verification of
cuiwww.unige.ch/~queloz/papers/mac3.1999.ps.gz

[Natural Deduction for Intuitionistic Non-Commutative Linear... - Polakow, Pfenning \(1999\) \(Correct\) \(8 citations\)](#)
pecan.srv.cs.cmu.edu/afs/cs.cmu.edu/user/ip/www/papers/tlca99.ps.gz

[Stable Iterative Reconstruction Algorithm For Nonlinear... - Berryman \(1990\) \(Correct\) \(1 citation\)](#)
 set notation, let t be the measured travelttime **m-vector** such that $t T t t t m$ where $t i$
sepwww.stanford.edu/sep/berryman/IPS/stable.ps

[OFDM Schemes with Non-Overlapping Time Waveforms - Slimane \(Correct\)](#)
 $p_m(t)$ can be represented by the following signal **vector** in this space $p_m = c m \Gamma L c m \Gamma L 1$
www.s3.kth.se/radio/PUBLICATIONS/vtc98_bs.ps

[Interoperability of Standards: Web Services & .NET, EJB and... - Koschel, Linden \(Correct\)](#)
 following technologies: The exposure of Enterprise **Java Beans (EJB's)** as Web services The exposure of
 Interoperability of Standards Web Services & .NET, **EJB** and **CORBA** Arne Koschel 1 and Klaus Hofmann zur
 of Standards Web Services & .NET, **EJB** and **CORBA** Arne Koschel 1 and Klaus Hofmann zur Linden 1
www.netobjectdays.org/node02/de/Conf/publish/.../pdf/02/papers/industry/1440.pdf

[Performance Evaluation and Modeling of MPI Communications... - Folino, Spezzano, Talia \(Correct\)](#)
isi-cnr.deis.unical.it:1080/~talia/hpcn95.ps

[Possessive Affixes and Complement Composition - Kolliakou \(Correct\)](#)
grid.let.rug.nl/~kersten/kolliakou.ps

[Constraints and Universal Algebra - Jeavons, Cohen, Pearson \(1998\) \(Correct\)](#)
www.dcs.rhnc.ac.uk/research/compint/publications/constraints/pubs-ps/con_and_universal.ps

[\[Recommendation X.904: - Basic Reference \(1994\) \(Correct\)\]](#)
ftp.gte.com/pub/odp/1994/part4_p2.ps.gz

[A Unifying Type-Theoretic Framework for Objects - Hofmann, Pierce \(1993\) \(Correct\) \(24 citations\)](#)
www.cs.indiana.edu/pub/pierce/abstroop.ps.gz

[Using PVM 3.0 to Run Grand Challenge Applications on... - Dongarra, Geist... \(1992\) \(Correct\)](#)
ftp.netlib.org/ncwn/siam93-pvmgc.ps

[The Data Reduction Expert Assistant - Miller \(1992\) \(Correct\)](#)
www.stsci.edu/~miller/draco/draco-aldb.ps

[Talking Vs Taking: Speech Access To Remote Computers - Yankelovich \(1994\) \(Correct\) \(2 citations\)](#)
www.sunlabs.com/research/speech/publications/chi94/CHI94Short.ps

[A Unified Network-based Approach for Online Recognition of... - Lee, Kim \(Correct\)](#)
ai.kaist.ac.kr/~jcoony/ps/IWFHR_96.ps

[Uniform Closures: Order-Theoretically Reconstructing Logic.. - Giacobazzi, al. \(1998\) \(Correct\)](#)
ftp.di.unipi.it/pub/Papers/giacobazzi/ic98.ps.gz

[Aspects of Enterprise Java Beans.. Blank, Vayngrib \(1998\) \(Correct\) \(1 citation\)](#)
Aspects of Enterprise Java Beans Gregory Blank, Gene Vayngrib Information
May, 20, 1998 Abstract Enterprise Java Beans (EJB) a specification for a Java component framework
Analysts agree that EJB has a potential to replace CORBA as a standard for enterprise level applications.
tresp.cs.uhwenet.nl/aop-ecoop98/papers/Blank.pdf

[Documents 41 to 60](#) [Previous 20](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

CORBA and EJB and Vector and Finder methi

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 1,560 for CORBA and EJB and Vector and Finder method. (0.28 seconds)

Integrate EJBs with CORBA

... public **Vector** getVector() throws RemoteException; public Collection getCollection ... typical **methods** found in most **EJB**-based applications ... found in jw-0329-corba.zip ...

www.javaworld.com/javaworld/jw-03-2002/jw-0329-corba.html - [Similar pages](#)

Use JNDI to share objects between different virtual machines

... public synchronized Enumeration keys() { **Vector** vec = new **Vector**(); try { Enumeration e = context ... objects to database tables or host them via **CORBA** or **EJB**. ...

www.javaworld.com/javaworld/jw-07-1999/jw-07-coolttools.html - [Similar pages](#)

[[More results from www.javaworld.com](#)]

EJB-INTEREST archives -- November 1998 (#340)

... the same as process or workflow objects in **CORBA**. ... accts = new String[vector.size()];
vector.copyInto(accts ... Message—— From: Chris Raber To: **EJB-INTEREST@JAVA** ...

archives.java.sun.com/cgi-bin/wa?A2=ind9811&L=ejb-interest&F=&S=&P=40100 - 15k - [Cached](#) - [Similar pages](#)

EJB-INTEREST archives -- February 2000 (#605)

... java.lang.Object maps to **CORBA** IDL 'any', so the ... from 'any' (or worse, since **Vector** is surely ... is a viable interoperability solution for Java/EJB servers with ...

archives.java.sun.com/cgi-bin/wa?A2=ind0002&L=ejb-interest&F=&S=&P=71259 - 12k -

[Cached](#) - [Similar pages](#)

[[More results from archives.java.sun.com](#)]

Borland AppServer 4.5 FAQ

... that when I pass back a **vector** enumeration from ... the problems with case insensitivity in **CORBA** IDL? ... interfaces, generated from java2idl for an **EJB**, inherit from ...

info.borland.com/devsupport/appserver/faq/45/ - 43k - [Cached](#) - [Similar pages](#)

EJB Clients and support for RMI/IIOP

... That is a **CORBA**-ism which does not exist in ... be returned from a remote interface **method** (eg **EJB** business **method** ... 2) You can return **Vector.elements()** from a **finder** ...

info.borland.com/devsupport/appserver/faq/EJBclients_and_RMI-IIOP.html - 22k - [Cached](#) - [Similar pages](#)

[[More results from info.borland.com](#)]

[PDF] Enterprise Java Beans Definitions When to use EJB's EJB ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... three foundational technologies OMG's **CORBA** RMI (Java ... Architecture <<session **EJB**>>

Bank **Vector** getAccounts() void ... change DRASTICALLY with **EJB** 2.0 © Copyright ...

www.cs.unc.edu/Courses/comp119/docs/lessons-others/ejb-brown-02/EJBArchitectures.pdf - [Similar pages](#)

Interoperability and the iPortal Application Server

... of Cart // interface Cart: ::java:ejb:EJBObject { void ... arg0); void removeBook(in

::**CORBA**::WStringValue arg0 ... now occurs because ::java.util:**Vector** has no ...

www.iona.com/support/docs/iportal_application_server/3.0/DevelopGuide/html/intro-RMI.html - 47k -

[Cached](#) - [Similar pages](#)

[PDF] Freelance Graphics - common.prz

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Servlet non-Java Visual Basic **CORBA** Appl Client ... bean public String custID; public

Vector items; Bean ... the Remote Interface an Entity **EJB** InitialContext initCtx ...

www.common.be/pdffiles/14022001common_4.pdf - [Similar pages](#)

CORBA.MARSHALL exception

... remote server (session bean hosted by a **ejb** container) which ... getting a return value (of type **vector**), I get an exception of type "org.omg.**CORBA.MARSHAL**, unable ...

www.mail-archive.com/ejb-interest@java.sun.com/msg07285.html - 6k - [Cached](#) - [Similar pages](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

CORBA and EJB and Vector and Finder meth

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 1,560 for CORBA and EJB and Vector and Finder method. (0.27 seconds)

[PDF] White Paper

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... of Cart // interface Cart { ::javax::ejb::EJBObject { void ... arg0); void removeBook(
in ::CORBA::WStringValue arg0 ... attribute ::java::util::Vector contents; }; 2.2 ...

www.iona.com/support/whitepapers/CORBA-EJBInteropWPV02-00.pdf - [Similar pages](#)

Coarse Grained Entity Beans vs. Fine Grained Entity Beans

... you should never have to have them all stored in a **vector** in the parent **EJB** at a time ... An Enterprise bean has as much overhead as a **CORBA** object if not more. ...

theserverside.com/discussion/thread.jsp?thread_id=706 - 59k - [Cached](#) - [Similar pages](#)

Index3

... org.omg.CORBA.NO_PERMISSION error while deploying an **EJB**. ... a "java.lang.StackOverflowError", as follows: java.lang.StackOverflowError at java.util.**Vector**. ...

otn.oracle.com/products/oracle8i/htdocs/jserver_faqs/index3.html - 48k - [Cached](#) - [Similar pages](#)

[PPT] Open Questions

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Mercator Web Broker. A **CORBA**/IOP-based **EJB** Server. ... public class Inventory_Impl implements javax.ejb.EntityBean. { ... { **Vector** v = new **Vector**(); ...

www.cs.ucy.ac.cy/courses/EPL603/EJB.ppt - [Similar pages](#)

CORBA.MARSHALL exception

... remote server (session bean hosted by a **ejb** container) which ... getting a return value (of type **vector**), I get an exception of type "org.omg.CORBA.MARSHAL, unable ...

www.mail-archive.com/ejb-interest@java.sun.com/msg07285.html - 6k - [Cached](#) - [Similar pages](#)

Application Design Issues FAQ

... rmi.RemoteException; **Vector** merge(**Vector** a, **Vector** b, Compare c ... done by competitors' products) if the **EJB** container is not built on top of IOP (eg, **CORBA**). ...

community.borland.com/article/0,1410,22358,00.html - 24k - [Cached](#) - [Similar pages](#)

EJB Server - Visibroker for C++ client FAQ

... java::util::Enumeration { private ::java::util::Vector J_vector; #pragma ... home[0].kind = (const char *) ""; **CORBA**::Object_var homeObj ... (1) start **EJB** server (Cart ...

www.borland.com/devsupport/appserver/faq/ejbcpp/ejb_cpp.html - 16k - [Cached](#) - [Similar pages](#)

[PDF] Annick Fron ESSI Printemps 2004

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Printemps 2004 Annick Fron ESSI 35 Serveur d'application Java, **CORBA** and **EJB** Standards Runtime Engine Persistence and Transaction Management Client Support ...

www.essi.fr/~fron/IMAFA/ejb.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - EntApps-SS04-Kap07-ApplicationServer.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Unterstützung • Integration von **CORBA** (deutlich leichter ... util.*; import javax.ejb.*; public class ... customerName; String customerId; **Vector** contents; public ...

www.ibr.cs.tu-bs.de/lehre/ss04/ea/EntApps-SS04-Kap07-ApplicationServer-3S.pdf - [Similar pages](#)

The Java Boutique: Java Books: Professional EJB

... EJBs with J2EE, COM, and **CORBA** Deployment instructions ... provide an overview of the **EJB** 2.0 persistence ... a Java swing component for displaying **vector** graphics and ...

javaboutique.internet.com/resources/books/EJB/ - 45k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

Searching for **java vector and query and ejb and corba**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#)
[CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: **relevance to query**.

[A Supersymmetry Approach To Poisson Structures Over... - Krasilshchik \(1995\) \(Correct\)](#)
 operators Initial Differential C-differential **Vector**-valued setting forms on E 1 operators forms
cirm.univ-mrs.fr/pub/EMIS/proceedings/SICDGA/IV/krasil.ps

[The Technical Benefits of EJB and J2EE Technologies over COM+... - Roman, Öberg \(1999\) \(Correct\)](#)
 Professional training and consulting in Enterprise **JavaBeans (EJB)** and **Java 2 Platform, Enterprise Edition**
 The Technical Benefits of **EJB** and J2EE Technologies over COM and Windows DNA By
java.sun.com/products/ejb/pdf/j2ee_dnatwp.pdf

[Learning Planning Operators by Observation and Practice - Wang \(1994\) \(Correct\) \(13 citations\)](#)
www.rpal.rockwell.com/~mel/aips94.ps

[Formalising Abilities and Opportunities of Agents - van Linder, van der Hoek, Meyer \(1998\) \(Correct\) \(4 citations\)](#)
ftp.cs.uu.nl/pub/RUU/CS/techreps/CS-1998/1998-08.ps.gz

[On the Optimality of the Simple Bayesian Classifier under... - Domingos, Pazzani \(1997\) \(Correct\) \(72 citations\)](#)
 ? fi (E) 8 i 6= k: 1) Suppose an example is a **vector** of a attributes, as is typically the case in
www.ics.uci.edu/~pedrod/mij97.ps.gz

[The System Of Two Spinning Disks In The Torus... - Wojtkowski \(1993\) \(Correct\)](#)
 Let $w \in \mathbb{R}^6$ denote the joint velocity **vector** of the two disks, $w = (v_1, v_2, \omega_1, \omega_2)^T$
mpej.unige.ch/mp_arc/c/94/94-88.ps.gz

[Development, Learning and Evolution in Animats - Kodjabachian, Meyer \(1994\) \(Correct\) \(2 citations\)](#)
 cells is condensed into a so-called neighborhood **vector**, which is the logical OR of all the state **vectors**
www.biologie.ens.fr/fr/animatlab/perso/kodjaba/jkjamperac.ps.gz

[An Object Calculus with Algebraic Rewriting - Compagnoni, Fernández \(Correct\)](#)
www.ens.fr/~maribel/papers/PLILP97.ps.gz

[Theory and Practice of Enterprise JavaBean Portability - Dorda, Robert, Seacord \(1999\) \(Correct\)](#)
 PA 15213-3890 Theory and Practice of Enterprise **JavaBean** TM Portability Santiago Comella Dorda John
 iii List of Figures Figure 1. Development Cycle in **EJB 3** iv CMU/SEI-99-TN-005 CMU/SEI-99-TN-005 v
www.sei.cmu.edu/pub/documents/99.reports/pdf/99tn005.pdf

[Probabilistic Object Recognition using Multidimensional Receptive ... - Schiele \(1996\) \(Correct\) \(26 citations\)](#)
 in a scene using multidimensional histograms of a **vector** of local neighborhood operators. We showed that
www-white.media.mit.edu/people/bernt/Pubs/icpr96.ps.gz

[A Hypertext System for Integrating Heterogeneous, Autonomous... - Noll, Scacchi \(1994\) \(Correct\) \(2 citations\)](#)
 will System Concurrency Collections Granularity **Query** Versioning SoftBench[7] optimistic directories
 such as the Common Object Request Broker (**CORBA**)Object Linking and Embedding (OLE)and the IBM
cwis.usc.edu/dept/ATRIUM/Papers/Integrating_Software_Repositories.ps

[Uniform Reconstruction of Gaussian Processes - Müller-Gronbach, Ritter \(1995\) \(Correct\) \(1 citation\)](#)
ftp.math.fu-berlin.de/pub/math/publ/pre/1995/pr-a-95-26.ps.Z

[Topic Detection and Tracking Pilot Study - Allan, Carbonell, Doddington... \(1998\) \(Correct\) \(3 citations\)](#)
 methods based on semantic word networks [10]**vector** space techniques from information retrieval [7]
 and phrases which are semantically related to the **query** text and are determined based on collection-wide
www.cs.cmu.edu/~yiming/papers.yy/tdt1-final-report.ps

[The Alloc Stream Facility: A Redesign of Application-Level ... - Krieger, Stumm, Unrau \(1994\) \(Correct\) \(11 citations\)](#)
 that the application level library be able to **query** the source of a file to be able to optimize
ftp.cs.toronto.edu/pub/parallel/Krieger_etal_IEEEComp94.ps.Z

Performance Comparison Of Video Transport Over ATM.. - Hossain, Kang, Horst (Correct)
berserk.vlsi.uiuc.edu/people/ashfaq/ieee.mm97.ps

Working Memory and Dyslexia - Fawcett, Baddeley (1992) (Correct)
ftp.shef.ac.uk/pub/uni/projects/scp/lrgdocs/lrg913.ps

Segregatory Coordination and Ellipsis in Text Generation - Shaw (1998) (Correct) (6 citations)
www.cs.columbia.edu/~shaw/papers/colingac198.ps.gz

Sequential Behavior and Learning in Evolved Dynamical Neural.. - Yamauchi, Beer (1994) (Correct) (24 citations)
networks. Network parameters were encoded as a **vector** of real numbers, with the time constant, bias,
vorlon.cwrw.edu/~beer/Papers/seqlearn.ps.Z

Strong Duality for a Trust-Region Type Relaxation.. - Anstreicher, Chen... (1998) (Correct) (1 citation)
minimization is unbounded below. Thus, for each **vector** of Lagrange multipliers 0 such that the Hessian
orion.math.uwaterloo.ca/~hwolkowi/henry/reports/sdptrsqap.ps.gz

Integrating Temporal, Real-Time, and Active Databases - Ramamritham.. (1996) (Correct) (3 citations)
www-ccs.cs.umass.edu/~sim/sigrec96.ps

[Documents 21 to 40](#) [Previous 20](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

CORBA and Java Vector

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 24,200 for **CORBA and Java Vector**. (0.45 seconds)

[/home/me/sensei/1.4/source/senseiTests/randomCounter/corba/Main. ...](#)

... GroupMembershipNamingService; import sensei.middleware.util.ORBcentral; import java.io.IOException;
 import java.util.Vector; import org.omg.CORBA.ORB; public ...

grasia.fdi.ucm.es/sensei/code/java/1.4/senseiTests/randomCounter/corba/Main.java.htm - 9k - [Cached](#) - [Similar pages](#)

[EJB-INTEREST archives -- August 2000 \(#1134\)](#)

... com.sun.rmi.io.ValueHandlerImpl.readValue(org.omg.CORBA.portable.I ... sun.rmi.iiop.CDRInputStream.read_value
 (java.lang.Class)

> java.util.Vector > com.netsis ...

archives.java.sun.com/cgi-bin/wa?A2=ind0008&L=ejb-interest&F=&S=&P=130824 - 12k - [Cached](#) - [Similar pages](#)

[Java 1.2 extends Java's distributed object capabilities](#)

... example, we simply returned a **Vector** object. ... complicated construct was required.)

Meanwhile, Java IDL has ... added advantage of the CORBA distributed architecture ...

www.javaworld.com/javaworld/jw-04-1998/jw-04-distributed.html - [Similar pages](#)

[Integrate EJBs with CORBA](#)

... I am not aware of any CORBA implementations that ... implementations for some commonly
 used Java types, such as Integer, Float, Vector, Exception, and ...

www.javaworld.com/javaworld/jw-03-2002/jw-0329-corba.html - [Similar pages](#)

[[More results from www.javaworld.com](#)]

[PDF] [01.covers copy](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... NamingContextPackage.*; import org.omg.CORBA.*; import java.util.*; Import the ... extends
 _NapsterServerImplBase { private Vector records_database; Build ...

www.userix.org/publications/java/usingjava27.pdf - [Similar pages](#)

[Defining CORBA Interfaces With Java](#)

... the built-in utility types--hash table and vector--into this CORBA Dictionary.

This shows the mixing and matching of CORBA and the built-in Java types which ...

www.cs.huji.ac.il/support/docs/java/vbroker/vbj/pg/noframes/chap13.htm - 34k - [Cached](#) - [Similar pages](#)

[Chapter 18: CORBA and Jini](#)

... corba.RoomBooking.*; import corba.common.*; import java.rmi.RemoteException; import
 java.rmi.server.UnicastRemoteObject; import java.util.Vector; public class ...

pandonia.canberra.edu.au/java/jini/tutorial/Corba.xml - 75k - Jun 28, 2004 - [Cached](#) - [Similar pages](#)

[DOC] [Building Distributed Applications with Java and CORBA](#)

File Format: Microsoft Word 97 - [View as HTML](#)

... server class actually manages the employee information in a private Java Vector object ... To
 have a fully functional CORBA server, you need to register this server ...

www.shu.ac.uk/schools/cms/teaching/pc/LEC_NOTE/CSSD/DistributedObjectsReferences/articles/buildingdistapps.doc -
[Similar pages](#)

[RMI-IIOP Programmer's Guide](#)

... ORB.init(new String[0], null); ((javax.rmi.CORBA.Stub)myWombat ... java -

Djava.naming.factory.initial=com.sun.jndi.cosnaming ... Hashtables

with Identical Vector Keys. ...

www.ibm.com/developerworks/java/rmi-iiop/docs/aix130/rmi_iiop_pg.html - 28k - [Cached](#) - [Similar pages](#)

[Java Review](#)

... (RMI's registry services are inferior to those of **CORBA**.) Also a ... simply demonstrates the process using additional code which works with a **Java vector** of rows. ...

www.oranda.com/java/javareview1998/server.html - 15k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

CORBA and Java Vector

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

Searching for **java vector and query and ejb and corba**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#)
[CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: **relevance to query**.

[Toward a Plan Steering Agent: Experiments with Schedule... - Oates, Cohen \(1994\)](#) (Correct) (3 citations)
www-eksl.cs.umass.edu/papers/94-02.ps

[FREE JAZZ: A User-Level Real-Time Threads Package Designed for... - Kramp \(1998\)](#) (Correct)
www.uni-kl.de/AG-Nehmer/Projekte/Squirrel/postscript/tr-sfb501-9-98.ps.gz

[A Partial Approach to the Problem of Deadlocks in... - Tricas \(1998\)](#) (Correct)
Let A `B be two sets and let Y be an A-indexed **vector**. We denote by $Y \text{ AjB}$ the B-indexed **vector** defined
www.cps.unizar.es/~fricas/GISIRR9705.ps.gz

[CSDC - The MoTIV Car Speech Data Collection - Langmann, Pfitzinger.. \(1998\)](#) (Correct) (4 citations)
www.phonetik.uni-muenchen.de/Publications/Pfitzinger_LREC98b.ps

[Container-Interposed Transactions - Prochazka, Plasil \(2001\)](#) (Correct) (1 citation)
Object Model (COM, 14]15]and Enterprise **JavaBeans** (**EJB**, 23]technologies, all based on
In the existing commercial architectures such as **EJB** and COMthe "single attribute approach" is used
[13]and software industry. In this field, the **CORBA** 1 The research is partially supported by the
nenya.ms.mff.cuni.cz/~prochazk/papers/trcomp010524.pdf

[Transactions in software components: Container-interposed... - Prochazka, Plasil \(2002\)](#) (Correct)
Object Model (CAM, 16]17]and Enterprise **JavaBeans** (**EJB**, 25]technologies, all based The
In the existing commercial architectures such as **EJB** and CAMthe "single attribute approach" is used
nenya.ms.mff.cuni.cz/publications/IJCIS.pdf

[System Support for Software Fault Tolerance in Highly Available... - Sullivan \(1992\)](#) (Correct) (5 citations)
:67 3.2 Example of Extensible DBMS **Query** :72 3.3
wuarchive.wustl.edu/packages/postgres/papers/ERL-M93-05.ps.Z

[Global Integration of Visual Databases - Wendy Chang \(1998\)](#) (Correct) (1 citation)
feedback. The proposed system is implemented using **Java** in a Web-based environment. 1 Introduction In
most useful for a given **query** using boolean and **vector**-space retrieval models of document retrieval.
information system which supports global visual **query** access to various visual databases over the
www.rit.edu/~wcceec/.papers/icde98.ps

[Interaction of Nonlinear Schrödinger Solitons with an... - Frauenkron, Grassberger \(1995\)](#) (Correct)
w3.hlrz.kfa-juelich.de/~helge/JPA.ps.gz

[The Graham Scan Triangulates Simple Polygons - Kong, Everett, Toussaint \(1991\)](#) (Correct) (2 citations)
www-cgri.cs.mcgill.ca/~godfried/publications/tri.scan.ps.gz

[Effective Compiler Support for Predicated Execution... - Mahlke, Lin, Chen... \(1992\)](#) (Correct) (114 citations)
was initially proposed to assist automatic **vectorization** techniques for loops with conditional
cardit.et.tudelft.nl/~steven/ilp/mahlke92.ps.gz

[The Case For Reliable Concurrent Multicasting Using... - Levine, Lavo... \(1996\)](#) (Correct) (35 citations)
will be built using such protocols as Distance **Vector** Multicast Routing Protocol (DVMRP) 17]Core
it orphan node o. This node starts multicasting **query** (QRY) messages looking for a new parent in an
www.cse.ucsc.edu/research/ccrg/publications/brian.mmm96.ps.gz

[Genetic Programming for Articulated Figure Motion - Gritz, Hahn \(1995\)](#) (Correct) (9 citations)
www.seas.gwu.edu/graphics/papers/gpafm.ps

[Daily management of an earth observation satellite... - Lemaitre, Verfaillie \(Correct\)](#)
ftp.cert.fr/pub/lemaitre/Papers/97-ILOG.ps

Persistence for Large Enterprise Systems in the Java World - Schiefer, Fecht (Correct)
 Persistence for Large Enterprise Systems in the Java World Bernhard Schiefer* and Christian Fecht*
 different working model based on set-oriented query and update statements. If transient and
 Jdbc (jdbc98)Sqlj (sqlj99)Jdo (jdo02)Ejb Cmp (j2ee02)Each Of These Standards Solves A
www.netbeansdays.org/node02/de/Conf/publish/.../pdf/02/papers/ws-jada/1139.pdf

Using Classes As Specifications For Automatic Construction Of... - Tyugu (1994) (Correct) (2 citations)
it.kth.se/labs/se/Reports/classes-as-spec.ps.Z

Identification Of Unknown Parameters For Heat Conductivity... - Botkin (1995) (Correct)
 value of a scalar or the Euclidean norm of a vector in R^n Omega is an open and bounded subset
www.appl-math.tu-muenchen.de/~botkin/hof444.ps

Simple Design and Unit Testing with Enterprise JavaBeans: The Box .. - Peeters (2001) (Correct)
 105 Simple Design and Unit Testing with Enterprise JavaBeans TM The Box Metaphor Vera Peeters Tryx
 ABSTRACT Introducing Enterprise JavaBeansTM (EJBs) in your system adds a level of complexity.
 with similar technologies like COM Components or CORBA components. 8 CONCLUSION In some situations it
www.xp2001.org/conference/papers/Chapter24-Peeters.pdf

Extending Transactions in Enterprise JavaBeans - Prochazka (2000) (Correct)
 1 Extending Transactions in Enterprise JavaBeans Marek Prochazka Charles University Faculty
 of particular bean objects, as well as methods for querying the population of the EJB objects, termed
 Abstract Enterprise JavaBeans (EJB) is a new technology that aims at supporting
nenya.ms.mff.cuni.cz/~prochazk/papers/trejb032000.pdf

Actuability of Underactuated Manipulators - Lee, Xu (1994) (Correct)
pecan.srv.cs.cmu.edu/afs/cs.cmu.edu/user/chrislee/www/cmu-ri-tr-94-13.ps.gz

[Documents 61 to 80](#) [Previous 20](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)